DUAL TF DBC® SST

Height: 35.7" (90.7cm) Width: 21.8" (55.4cm) Depth: 20.2" (51.3cm)

- Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; coffee strength controlled with variable by-pass.
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- Servers not included unless otherwise noted

Server(s) sold separately

Agency:

Specifications

Product #: 34600.6000

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Funnel: Smart Funnel

Faucet: Lower

Additional Features

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	302	60°F (15.5°C)	-	-	-

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	-

CAD Drawings

2D	Revit	KLC
●		

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 05/03/2021



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.7 in.	21.8 in.	20.2 in.	-	-	-	-	-
Metric	90.7 cm	55.4 cm	51.3 cm	-	-	-	-	-

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 05/03/2021

Related Products & Accessories: DUAL TF DBC® SST(34600.6000)

FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000

CARD ASSY, RECIPE TRANSFER (BRW)

Product #: 34447.0016

MHGA, CE IPX1 EURO 220-240V BLK 50HZ

Product #: 35600.0023

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 05/03/2021

Serving & Holding Options: DUAL TF DBC® SST(34600.6000)

TF SERVER, DSG2 1G/3.8L

Product #:42700.0000

TF SERVER, DSG2 1.5G SST

Product #:42750.0000

TF SERVER, DSG2 1.5G BLK

Product #:42750.0001

TF SERVER, DSG2 1.5G CD

Product #:42750.0003

TF SERVER, 1G/3.8L MECH

Product #:44000.0000

TF SERVER, 1.5G/5.7L MECH

Product #:44050.0000

TF SERVER, 1.5G/5.7L MECH BLK

Product #:44050.0001

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 05/03/2021